25X1A6a

"FIDENTIAL "

56-1484

APR 16 1956

MEMORANDUM FOR: Deputy Director (Support)

SUBJECT:

Air Conditioning Equipment for Electronic Labora-

tory,

25X1A6a

25X1A6a

- 1. This memorandum contains a recommendation submitted for DD/S approval in conjunction with air conditioning for the Technical Services Staff in Such recommendation is contained in paragraph 6.
- 2. Supplementary air conditioning for Room B-8, has been requested by the TSS/Administrative Officer. The requirement is based on the necessity for compensating the increased heatload occasioned by the installation of heat generating laboratory equipment.
- 3. Room B-8, comprising approximately 1,633 sq. ft., was originally planned for use as office space. The design of the air conditioning system was planned at a normal rate of one ton for each 400 sq. ft. with an air velocity of 300 C.F.M.
- 4. Pursuant to building occupancy in July 1955, 19 kilowatts of electrical power were added to Room B-8 by the installation of sensitive electronic testing equipment. A major portion of this power is dissipated in heat at the rate of 60,000 MTU's per hour. Excessive temperatures and humidity materially effect components of the sound equipment such as condensers, resistors, oscillator coils, and motors. Two tape recording motors and two transformers have been replaced since August 1955. Quantities of recording disks and tape. considered perishable items, have been rendered useless by temperatures exceeding 76 degrees.
- 5. Alugmentation of existing air conditioning facilities by the addition of a five-ton unit will appropriately remedy this situation.
- In view of the conditions cited above, it is believed the procurement of the proposed unit is in agreement with existing public

Document No.		
No Change In Class. 🗹		
Designatifica		
Ciass. Changed to: 18 C		
Next Roulety Bate:	CONFIDENTIAL OL 6	004-
Auth.: HR 70-3		2315
Date:Approved For Rel-200	1/07/28 : CIA-RDP78-04718A002000090011-0	

Approved For Release 2001/07/28 : CIA-RDP78-04718A002000090011-0

	laws. It is therefore recommended that approval be given to the expenditure of vouchered funds in the amount of \$2,500 for this purpose.	
		25X1A9a
	Acting Director of Logistics	
	CONCURRENCES:	
25X1A9a		
25/1/3a		
	Line Company () A Sept. Transport () A S	
	Comptroller Date	
	Annih an annih	
25X1A9a		:
	SIGNED W/22/22	
asst	SIGNED 4/23/32	
asst		
	The recommendation contained in paragraph 5 is approved.	
	Some contraction of the second	•
1.1		
	APR 2 4 1956	
		25X1A
		20/(1/(
	SIGNED	
:	Seputy Director	
	Deputy Director	
·. · · · ·	Distribution: (Support)	
	A Manual val 1 am	
	2 - 10/3 Subject & Chronis	
	1 - OF LITES A	•
	1 - General Counsel 1 - REAC/OL w/ Assir	
	P - CL/REACD/SHEP	
25X1A9a	l - Signer	
20/ 1/3a	GL/REAC/SHAP/ Jr:pc/2168 (13 April 56)	
	্তিশ্ লোল শা সম্ভূম স্থানিকাশেল কাক্ষাপ্ত হৈ হিচাপের হৈ আছে।	

Approved For Release 2001/07/28 : CIA-RDP78-04718A002000090011-0